

## **SP Aqua Food Testing Laboratory**

ISO 9001:2015 Certified Lab | Services: Water testing | Food testing | Soil testing | Hygine testing Contact: +91 8261940270 / 7057102473 | Email: spaquafoodlab@gmail.com | Web: www.spaquafoodlab.com Address: G-101, Ground Floor, Dwarkadhish Building, Near Wagholi Bazar, Nagar Road, Wagholi, Pune- 412207

## **Test Report**

Container

: Customer

Customer Address : Geetai Trading Co., Gat No 723, Batch No / Lot No : Not Specified

Vrundavan Society, Balaji Complex, Flat No 1, Awhalwadi, Mfg Date : 25-Feb-25

Sample Submitted By

Wagholi, Pune, Maharashtra- Sample Drawn By : Customer

412207

Sample Marked As : Cow Ghee End Date of Analysis : 13-Mar-25
Sample Qty : 250 ml Report Date : 13-Mar-25

Sr No	Test Parameters	Results	Unit	Spec as per FSSR 2.1.8	Test Method
1	Moisture	0.08	%	Max 0.5	FSSAI 01.086:2022
2	Total Mineral	< 0.05	g/100g	-	AOAC 942.05
3	BR Reading @ 40°C	42.9	degrees	40.0 to 44.0	FSSAI 01.088:2022
4	Reichert Meissl (RM) Value	27.51		Min 24.0	FSSAI 01.090:2022
5	Free Fatty Acids (As Oleic Acid)	0.45	%	Max 2.0	FSSAI 01.089:2022
6	Peroxide Value	< 0.1	Milli Eq of O2/Kg fat		FSSAI 01.094:2022
7	Polenske Value	0.82		0.5 - 2.0	FSSAI 01.090:2022
8	Baudouine Test	Negative		Negative	FSSAI 01.094:2022
9	Iodine Value	34.3		25 -38	FSSAI 01.095:2022
10	Holds Test	Negative		Negative	FSSAI 01.092:2022
11	Odour	Pleasant			SPAFTL/Food/D/11
12	Appearance	Yellow Coloured semi solid liquid			SPAFTL/Food/D/05





---- End of Report ----

Page 1 of 1

**Conditions of Reporting:** 

1) Sampling was not done by SP Aqua Food Lab & results apply to the sample as received 2) This report, in full or part shall not be reproduced / published / advertised, unless prior permission has been secured. 3) Samples will be disposed off after 7 days of final report generation for non-perishable items only. Perishable items will be destroyed after completion of test. 4) ND – Not detected, BLQ- Below limit of quantification, NMT – Not more than, NLT –Not less than. BLD – Below Detection Limit.